

Exuma

AMCEG2028K



AMC

Exuma

2024

4 seater Fully electric

Integrated Navigation and entertainment system

High Quality

AMCEG2028K



- 1. A combination of style and performance
- 2. Smooth, silent, and seamless driving control
- 3. Regenerative braking to near zero speed
- 4. Excellent hill climbing and parking abilities
- 5. Consistent and efficient electric drive-train
- 6. Quick and efficient battery charge maximizes up-time
- 7. Vertically integrated production process ensures premium quality and reliability

Item Number	AMCEG2028KSZ
Battery	Deep cycle, lead acid battery, Trojan brand
Motor Power	3, 3.8KW DC / AC
Controller	Curtis brand
Passenger capacity	2
Range (loaded) based on	>3762 depends on battery setup
flat road at a speed of	
12 mph (mi)	
Max. speed	13-25 mph depends on motor and rear axle setup
Minimum turning radius (ft)	11.4
Max. climbing ability	20%
Max. loading weight	661 lbs
Overall dimensions (ft)	8.7 X 3.8 X 6.2
Body and Frame	
Frame	Welded steel framework with
	phosphate+electro-coating treatment
Body	PP plastic front body + PP plastic rear body
Roof	injected plastic
Windshield	one-piece Organic glass
Large Seats:	Rebond seat + artificial leather, formed armrest,
	plastic seat bottom
Floor	rubber
Dashboard in black plastic	forward/reverse switch, battery capacity indicator,
	ignition key
Beverage holders	4 cups drink holders
Electric system	
Lighting system and horn	2 headlights, 2 front turn signals, 2 tail lights(each
	combined 1 brake light with 1 turn signal), with DC-DC converter (converting from 48V to 12V), horn.
	Reversing alarm
Charger	input 110V-240V~50Hz-80Hz, output 36V/48V,
	20A/25A
Steering and Suspension	
Steering system	Single-stage rack and pinion steering system,
	automatic rocker compensating function
Brake system	Mechanical brake
Accelerator	Stepless speed change
Suspension system	Front and rear plate spring + cylinder hydraulic shock
	absorber
Driving mode	Rear axle two stage deceleration, motor direct driving
Rear axle	Integrated
Wheel & Tire	10 x 8 Aluminum wheel & 205/50-10 4PR